PTO-1449 REPRODUCED			ICATION NO. 17,984	
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Walter Newman FILING DATE November 20, 2003			
May 8, 2006 May 8, 2006 May 8, 2006	EXAMINER Maher M. Huddad Ph.D.	CONF	IRMATION NO.	GROUP 1644

A PARTY	THE RES	111	S. PATENT DOCUMENTS	
		U.S.	S. FATENT DOCUMENTS	
EXAM- INER INI- TIAL	REF. NO.	DOCUMENT NUMBER Number-Kind Code (if known)	ISSUE DATE / PUBLICATION DATE MM-DD-YYYY	NAME OF PATENTEE OR APPLICANT OF CITED DOCUMENT
МН	Al	5,594,114	01/14/1997	Goodearl, A. D. J., et al.
	A2	6,303,321 D!	i0/16/2001	Tracey, K. J.
	A 3	6,448,223 D1	09/10/2002	Tracey, K. J. and Wang, H.
	A4	0,408,333 B1	10/22/2002	Tracey, K. J. and Wang, H.
	Δ5	2003/0060410 A1	03/27/2003	- Tracey, K. J., et al.
МН	A6	2003/0144201 A1	07/31/2003	Tracey, K. J., et al.
	A7	2004/0005316 A1	01/08/2004	Tracey, K. J. and Yang, H.
	A8	2004/0053841 A1	03/18/2004	Tracey, K. J. and Yang, H.
	A9	6,171,779 B1	01/09/2001	Chada, K.K., et al.
	A10	6,720,472 B2	04/13/2004	Chada, K.K., et al.
∇	A11	2002/0009749 A1	01/24/2002	Ozaki, S., et al.
MH	A12	6,323,329 B1	11/27/2001	Bullerdiek, J.
	A13			
	A14			
	A15			
	A16			
	A17			
	A18			
	A19			
	A20			
	A21			
	A22			
	A23			
	A24			
	A25			
		<u> </u>		

EXAMINER	/Maher Haddad/	DATE CONSIDERED 09/06/2006	
11	,		

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. APPLICATION NO. 3258.1008-001 10/717,984			
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Walter Newman FILING DATE November 20, 20		20, 2003	
May 8, 2006 (Use several sheets if necessary)	EXAMINER Maher M. Huddad Ph.D.	CONFI 8906	RMATION NO.	GROUP 1644

FOREIGN PATENT DOCUMENTS								
			DOCUMENT NUMBER Country Code-Number-Kind Code (if known)	DATE MM-DD-YYYY	NAME OF PATENTEE OR APPLICANT OF CITED DOCUMENT	TRANSI YES	ATION NO	
	МН	BI	EP 1 033 401 A2	09/06/2000	GENSET			
		B2	WO 00/47104 A2	08/17/2000	The Picower Institute for Medical Research			
		В3	WO 99/59609 A2	11/25/1999	Bartorelli, A.			
		B4	WO 02/074337 A1	09/26/2002	Bianchi, M. E., et al.			
		B5	WO 2004/004763 A2	01/15/2004	Bianchi, M. E., et al.			
		В6	JP 62-166897	07/23/1987	Toyo Soda Mfg Co. Ltd., et al.	bstrac	= X	
		В7	EP 1 079 849 B1	01/02/2002	Bartorelli, A.			
	/	В8	WO 96/25493 A1	08/22/1996	K.U. Leuven Research & Development			
N	MIH	B9	WO 97/23611 A2	07/03/1997	Bullerdiek, J. Abstract		Х	
		B10						
		BII						
		BII				1 4 4 4 4 4		
		B12						
		B13						
		B14						
		B15						
		B16						
		B17						
		B18						
		B19						
		B20						
		B21						
		B22						
		B23						

	EXAMINER /Maher Haddad/	DATE CONSIDERED 09/06/2006
ı		

Sheet 3 of 10

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 3258.1008-001 10/717,984			
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Walter Newman FILING DATE November 20, 200		20, 2003	
May 8, 2006 (Use several sheets if necessary)	EXAMINER Maher M. Huddad Ph.D.	CONFI 8906	RMATION NO.	GROUP 1644

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
	СІ	Wang, H., et al., "HMG-1 as a Late Mediator of Endotoxin Lethality in Mice," Science, 285:248-251 (1999).
	C2	Andersson, U., et al., "High Mobility Group 1 Protein (HMG-1) Stimulates Proinfiammatory Cytokine Synthesis in Human Monocytes," J. Exp. Med., 192(4):565-570 (2000).
MH	C3	Abraham, E., et al., "Cutting Edge: HMG-1 as a Mediator of Acute Lung Inflammation," J. Immunol., 165:2950-2954 (2000).
	C4	Rogalla, P., et al., "Mapping and molecular characterization of five HMG1-related DNA sequences," Cytogenet. Cell Genet., 83:124-129 (1998).
	C5	Geneseq Accession No. AAG03823, "Human secreted protein, SEQ ID No: 7904," (2000) [online] [retrieved on 03/21/2006]. Retrieved from the Internet (incomplete URL provided on copy).
	C6	Dailey, L. and Basilico, C., "Coevolution of HMG Domains and Homeodomains and the Generation of Transcriptional Regulation by Sox/POU Complexes," J. Cell. Physio., 186:315-328 (2001).
	C7	Yang, H., et al., "Reversing established sepsis with antagonists of endogenous high-mobility group box 1," PNAS, 101(1):296-301 (2004).
	C8	Abaza, MS. I. and Atassi, M. Z., "Effects of Amino Acid Substitutions Outside an Antigenic Site on Protein Binding to Monoclonal Antibodies of Predetermined Specificity Obtained by Peptide Immunization: Demonstration with Region 94-100 (Antigenic Site 3) of Myoglobin," J. Protein Chem. 11(5):433-444 (1992).
	C9	Ayer, L. M., et al., "Antibodies to HMG Proteins in Patients With Drug-Induced Autoimmunity," Arthritis Rheum., 37(1):98-103 (1994).
V	C10	Banks, G. C., et al., "The HMG-I(Y) A·T-hook Peptide Motif Confers DNA-binding Specificity to a Structured Chimeric Protein," J. Biol. Chem., 274(23):16536-16544 (1999).
МН	CH	Baxevanis, A. D. and Landsman, D., "The HMG-1 Box Protein Family: Classification and Functional Relationships," <i>Nucleic Acids Res.</i> , 23(9):1604-1613 (1995).

EXAMINER	/Maher Haddad/	DATE CONSIDERED
1	,,	09/06/2006

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 3258.1008-001 APPLICATION NO. 10/717,984			
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Walter Newman FILING DATE November 20, 200		20, 2003	
May 8, 2006 (Use several sheets if necessary)	EXAMINER Maher M. Huddad Ph.D.	CONFI 8906	RMATION NO.	GROUP 1644

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
MH	C12	Bianchi, M. E., et al., "The DNA Binding Site of HMG1 Protein is Composed of Two Similar Segments (HMG Boxes), Both of Which Have Counterparts in Other Eukaryotic Regulatory Proteins," EMBO J., 11(3):1055-1063 (1992).
	C13	Bianchi, M. E., et al., "Specific Recognition of Cruciform DNA by Nuclear Protein HMG1," Science, 243:1056-1059 (1989).
	C14	Bustin, M., "Revised Nomenclature for High Mobility Group (HMG) Chromosomal Proteins," Trends Biochem. Sci., 26:152-153 (2001).
Bustin, M., et al., "Antigenic Determinants of High Mobility Group Chromosomal Proteins 1 2," Biochem., 21:6773-6777 (1982).		Bustin, M., et al., "Antigenic Determinants of High Mobility Group Chromosomal Proteins 1 and 2," Biochem., 21:6773-6777 (1982).
Bustin, M., et al., "Immunological Relatedness of High Mobility Group Chromosomal Prote from Calf Thymus," J. Biol. Chem., 253(5):1694-1699 (1978).		Bustin, M., et al., "Immunological Relatedness of High Mobility Group Chromosomal Proteins from Calf Thymus," J. Biol. Chem., 253(5):1694-1699 (1978).
Chou, D. K. H., et al., "Identity of Nuclear High-Mobility-Group Protein, HMG-1, and Sulfoglucuronyl Carbohydrate-Binding Protein, SBP-1, in Brain," J. Neurochem., 77:120-(2001).		Sulfoglucuronyl Carbohydrate-Binding Protein, SBP-1, in Brain," J. Neurochem., 77:120-131
	C18	Colman, P. M., "Effects of Amino Acid Sequence Changes on Antibody-Antigen Interactions," Res. Immunol., 145(1):33-36 (1994).
	C19	Czura, C., et al., "Dual Roles for HMGB1: DNA Binding and Cytokine," J. Endotoxin Res., 7(4):315-321 (2001).
Daston, M. M. and Ratner, N., "Expression of P30, a Protein with Adhesive Properties in Schwann Cells and Neurons of the Developing and Regenerating Peripheral Nerve," J. Cell 112(6):1229-1239 (1991).		Schwann Cells and Neurons of the Developing and Regenerating Peripheral Nerve," J. Cell Biol.
/	C21	Degryse, B., et al., "The High Mobility Group (HMG) Boxes of the Nuclear Protein HMG1 Induce Chemotaxis and Cytoskeleton Reorganization in Rat Smooth Muscle Cells," J. Cell Biol., 152(6):1197-1206 (2001).
МН	C22	Falciola, L., et al., "High Mobility Group 1 Protein is Not Stably Associated with the Chromosomes of Somatic Cells," J. Cell. Biol., 137(1):19-26 (1997).

~			
EXAMINER /Maher Haddad/	DATE CONSIDERED	09/06/2006	
,	L		'

PTO-1449 REPRODUCED	3258.1008-001 10/7 FIRST NAMED INVENTOR		APPLICATION NO. 10/717,984 FILING DATE November 20, 2003	
INFORMATION DISCLOSURE CITATION IN AN APPLICATION				
May 8, 2006 (Use several sheets if necessary)	EXAMINER Maher M. Huddad Ph.D.	CONFI 8906	RMATION NO.	GROUP 1644

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
MH	C23	Freeman, B. D., et al., "The Role of Inflammation in Sepsis and Septic Shock: A Meta-Analysis of Both Clinical and Preclinical Trials of Anti-Inflammatory Therapies," in <i>Inflammation: Basic Principals and Clinical Correlates</i> (John I. Gallin and Ralph Snyderman eds., Lippincott, Williams & Wilkins, Philadelphia, 3 rd ed.), pp 965-975 (1999).
	C24	Imamura, T., et al., "Interaction with p53 Enhances Binding of Cisplatin-Modified DNA by High Mobility Group 1 Protein," J. Biol. Chem., 276(10):7534-7540 (2001).
	C25	Ise, T., et al., "Transcription Factor Y-Box Binding Protein 1 Binds Preferentially to Cisplatin-Modified DNA and Interacts With Proliferating Cell Nuclear Antigen," Cancer Res., 59:342-346 (1999).
	C26	Johns, E. W., et al., "History, Definitions and Problems," in <i>The HMG Chromosomal Proteins</i> , (London: Academic Press), pp. 1-7 (1982).
	C27	Jung, F., et al., "Antibodies Against a Peptide Sequence Located in the Linker Region of the HMG-1/2 Box Domains in Sera From Patients With Juvenile Rheumatoid Arthritis," Arthritis Rheum., 40(10):1803-1809 (1997).
	C28	Landsman, D. and Bustin, M., "A Signature for the HMG-1 Box DNA-Binding Proteins," BioEssays, 15(8):539-546 (1993).
	C29	Lederman, S., et al., "A Single Amino Acid Substitution in a Common African Allele of the CD4 Molecule Ablates Binding of the Monoclonal Antibody OKT," Mol. Immunol., 28(11):1171-1181 (1991).
	C30	Ma, W., et al., "Detection of Anti-neutrophil Cytoplasmic Antibodies in MRL/Mp-lpr/lpr Mice and Analysis of Their Target Antigens," Autoimmunity, 32(4):281-291 (2000).
	C31	Melloni, E., et al., "Identity in Molecular Structure Between 'Differentiation Enhancing Factor' of Murine Erithroleukemia Cells and the 30 kD Heparin-Binding Protein of Developing Rat Brain," Biochem. Biophys. Res. Commun., 210(1):82-89 (1995).
MH	C32	Melloni, E., et al., "Extracellular Release of the 'Differentiation Enhancing Factor', a HMG1 Protein Type, is an Early Step in Murine Erythroleukemia Cell Differentiation," FEBS Lett., 368:466-470 (1995).

	EXAMINER /Maher Haddad/	DATE CONSIDERED 09/06/2006
Į		

Sheet 6 of 10

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 3258.1008-001		APPLICATION NO. 10/717,984		
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Walter Newman		FILING DATE November 20, 2003		
May 8, 2006	EXAMINER	CONFI	RMATION NO.	GROUP	
(Use several sheets if necessary)	Maher M. Huddad Ph.D.			1644	

			OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
M	OH L	C33	Merenmies, J., et al., "30-kDa Heparin-Binding Protein of Brain (Amphoterin) Involved in Neurite Outgrowth," J. Biol. Chem., 266(25):16722-16729 (1991).
		C34	Milev, P., et al., "High Affinity Binding and Overlapping Localization of Neurocan and Phosphacan/Protein-Tyrosine Phosphatase - ζ/β with Tenascin-R, Amphoterin, and the Heparin-Binding Growth-Associated Molecule," J. Biol. Chem. 273(12):6998-1005 (1998).
		C35	Mohan, P. S., et al., "Sulfoglycolipids Bind to Adhesive Protein Amphoterin (p30) in the Nervous System," Biochem. Biophys. Res. Commun., 182(2):689-696 (1992).
		C36	Parkkinen, J. and Rauvala, H., "Interactions of Plasminogen and Tissue Plasminogen Activator (t-PA) with Amphoterin," J. Biol. Chem., 266(25):16730-16735 (1991).
		C37	Parkkinen, J., et al., "Amphoterin, the 30-kDa Protein in a Family of HMG1-type Polypeptides," J. Biol. Chem., 268(26):19726-19738 (1993).
		C38	Passalacqua, M., et al., "Stimulated Astrocytes Release High-Mobility Group 1 Protein, an Inducer of Lan-5 Neuroblastoma Cell Differentiation," Neuroscience, 82(4):1021-1028 (1998).
		C39	Rauvala, H. and Pihlaskari, R., "Isolation and Some Characteristics of an Adhesive Factor of Brain That Enhances Neurite Outgrowth in Central Neurons," <i>J. Biol. Chem.</i> , 262(34):16625-16635 (1987).
		C40	Rauvala, H., et al., "The Adhesive and Neurite-Promoting Molecule p30: Analysis of the Amino-Terminal Sequence and Production of Antipeptide Antibodies That Detect p30 at the Surface of Neuroblastoma Cells and of Brain Neurons," J. Cell Biol., 107(6):2293-2305 (1988).
		C41	Romani, M., et al., "Serological Analysis of Species Specificity in the High Mobility Group Chromosomal Proteins," J. Biol. Chem., 254(8):2918-2922 (1979).
	/	C42	Salmivirta, M., et al., "Neurite Growth-Promoting Protein (Amphoterin, p30) Binds Syndecan," Exp. Cell Res., 200:444-451 (1992).
	мн	C43	Scaffidi, P., et al., "Release of Chromatin Protein HMGB1 by Necrotic Cells Triggers Inflammation," Nature, 418:191-195 (2002).

EXAMINER	/	DATE CONSIDERED
1	/Maher Haddad/	09/06/2006
<u> </u>		05, 05, 2000

PTO-1449 REPRODUCED			PPLICATION NO. 0/717,984	
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Walter Newman		FILING DATE November 20, 2003	
May 8, 2006 (Use several sheets if necessary)	EXAMINER Maher M. Huddad Ph.D.	CONFI 8906	RMATION NO.	GROUP 1644

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
МН	C44	Sobajima, J., et al., "Prevalence and Characterization of Perinuclear Anti-Neutrophil Cytoplasmic Antibodies (P-ANCA) Directed Against HMG1 and HMG2 in Ulcerative Colitis (UC)," Clin. Exp. Immunol., 111:402-407 (1998).
	C45	Sobajima, J., et al., "Anti-Neutrophil Cytoplasmic Antibodies (ANCA) in Ulcerative Colitis: Anti-Cathepsin G and a Novel Antibody Correlate With a Refractory Type," Clin. Exp. Immunol., 105:120-124 (1996).
	C46	Sobajima, S., et al., "Novel Autoantigens of Perinuclear Anti-Neutrophil Cytoplasmic Antibodies (P-ANCA) in Ulcerative Colitis: Non-Histone Chromosomal Proteins, HMG1 and HMG2," Clin. Exp. Immunol., 107:135-140 (1997).
	C47	Sobajima, J., et al., "High Mobility Group (HMG) Non-Histone Chromosomal Proteins HMG1 and HMG2 are Significant Target Antigens of Perinuclear Anti-Neutrophil Cytoplasmic Antibodies in Autoimmune Hepatitis," Gut, 44:867-873 (1999).
	C48	Sparatore, B. et al., "Extracellular High-Mobility Group 1 Protein is Essential for Murine Erythroleukaemia Cell Differentiation," Biochem. J., 320(Pt 1):253-256 (1996).
	C49	Suda, T., et al., "A Novel Activity of HMG Domains: Promotion of the Triple-Stranded Complex Formation Between DNA Containing (GGA/TCC) ₁₁ and d(GGA) ₁₁ Oligonucleotides," Nucleic Acids Res., 24(23):4733-4740 (1996).
	C50	Tsuneoka, M., et al., "Monoclonal Antibody Against Non-Histone Chromosomal Protein High Mobility Group 1 Co-Migrates With High Mobility Group 1 Into the Nucleus," J. Biol. Chem., 261(4):1829-1834 (1986).
	C51	Uesugi, H., et al., "Prevalence and Characterization of Novel pANCA, Antibodies to the High Mobility Group Non-Histone Chromosomal Proteins HMG1 and HMG2, in Systemic Rheumatic Diseases," J. Rheumatol., 25(4):703-709 (1998).
	C52	Vanderbilt, J. N. and Anderson, J. N., "Monoclonal Antibodies as Probes for the Complexity, Phylogeny, and Chromatin Distribution of High Mobility Group Chromosomal Proteins 1 and 2," J. Biol. Chem., 260(16):9336-9345 (1985).
M	C53	Wang, H., et al., "Proinflammatory Cytokines (Tumor Necrosis Factor and Interleukin 1) Stimulate Release of High Mobility Group Protein-1 by Pituicytes," Surgery, 126(2):389-392(1999).

EXAMINER /Maher Haddad/	DATE CONSIDERED	09/06/2006

Sheet 8 of 10

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. APPLICATION NO. 10/717,984			
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Walter Newman		FILING DATE November 20, 2003	
May 8, 2006 (Use several sheets if necessary)	EXAMINER Maher M. Huddad Ph.D.	CONF	RMATION NO.	GROUP 1644

			OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
1	MH	C54	Wen, L., et al., "A Human Placental cDNA Clone that Encodes Nonhistone Chromosomal Protein HMG-1," Nucleic Acids Res., 17(3):1197-1213 (1989).
		C55	Yamada, S., et al., "High Mobility Group Protein 1 (HMGB1) Quantified by ELISA with a Monoclonal Antibody That Does Not Cross-React with HMGB2," Clin. Chem., 49(9):1535-1537 (2003).
		C56	Zhang, M and Tracey, K. J., "Tumor Necrosis Factor," in <i>The Cytokine Handbook</i> , (Academic Press Limited), Third Edition, pp. 517-548 (1998).
		C57	GenBank Accession No. AC010149, "Homo sapiens BAC clone RP11-395A23 from 2, complete sequence," (2001) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
		C58	GenBank Accession No. AF165167, "Homo sapiens high mobility group 1-like protein L8 (HMG1L8) retropseudogene, complete sequence," (2001) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
		C59	GenBank Accession No. AF076674, "Homo sapiens high mobility group 1-like protein L1 (HMG1L1) retropseudogene sequence," (1999) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
		C60	GenBank Accession No. AF076676, "Homo sapiens high mobility group 1-like protein L4 (HMG1L4) retropseudogene sequence," (1999) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
		C61	GenBank Accession No. NG_000897, "Homo sapiens high-mobility group (nonhistone chromosomal) protein 1-like 5 (HMG1L5) pseudogene on chromosome 3," (2006) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
	,	C62	GenBank Accession No. HSU51677, "Human non-histone chromatin protein HMG1 (HMG1) gene, complete cds.," (1996) [online] [retrieved on 3/21/2006]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>
М	H	C63	GenBank Accession No. XM_066789, "Homo sapiens similar to high mobility group 1 (LOC139603), mRNA," (2002) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>

EXAMINER /Maher Haddad/	DATE CONSIDERED 09/06/2006

Sheet 9 of 10

PTO-1449 REPRODUCED			PLICATION NO. 7717,984		
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Walter Newman		FILING DATE November 20, 2003		
May 8, 2006	EXAMINER CON		IRMATION NO.	GROUP	
(Use several sheets if necessary)	Maher M. Huddad Ph.D.	8906 1		1644	

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)				
МН	C64	GenBank Accession No. AF165168, "Homo sapiens high mobility group 1-like protein L9 (HMG1L9) retropseudogene complete sequence," (2001) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>			
	C65	GenBank Accession No. XM_063129, "Homo sapiens similar to high mobility group 1 (LOC122441), mRNA," (2002) [online] [retrieved on 4/18/2006]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>			
	C66	"High Mobility Group, (HMG) Chromosomal Proteins Nomenclature Home Page" [online] [retrieved on 3/9/2006], retrieved from the Internet: <url:http: genefamilies="" hmgfamily.shtml="" mgihome="" nomen="" www.informatics.jax.org=""></url:http:>			
	C67	Reeves, R. and Nissen, M.S., "The A•T-DNA-binding Domain of Mammalian High Mobility Group I Chromosomal Proteins," <i>J. Biol. Chem.</i> , 265(15):8573-8582 (1990).			
	C68	Taguchi, A., et al., "Blockade of RAGE-amphoterin Signalling Suppresses Tumour Growth and Metastases," Nature, 405:354-360 (2000).			
	C69	Taudte, S., et al., "Interactions Between HMG Boxes," Protein Eng., 14(12):1015-1023 (2001).			
	C70	SWISS-PROT Accession Number P09429, "High Mobility Group Protein 1 (HMG-1) (High Mobility Group Protein B1)," (2006) [online] [retrieved on 03/09/2006]. Retrieved from the Internet: <url:http: www.ncbi.nlm.nih.gov="">.</url:http:>			
	C71	Clackson, T., et al., "Making Antibody Fragments Using Phage Display Libraries," Nature, 352: 624-628 (1991).			
	C72	Marks, J.D., et al., "By-Passing Immunization: Building High Affinity Human Antibodies by Chain Shuffling," Bio/Technology, 10:779-783 (1992).			
	C73	Redlitz, A., et al., "Receptors for Plasminogen and t-PA: An Update," Bailliere's Clinical Hematology, 8(2):313-327 (1995).			
МН	C74	Yamawaki, M., et al., "Generation and Characterization of Anti-Sulfoglucuronosyl Paragloboside Monoclonal Antibody NGR50 and its Immunoreactivity with Peripheral Nerve," J. Neurosci. Res., 44:586-593 (1996).			

/Maher Haddad/	DATE CONSIDERED	09/06/2006

Sheet 10 of 10

PTO-1449 REPRODUCED	,		PPLICATION NO. 0/717,984	
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Walter Newman		FILING DATE November 20, 2003	
May 8, 2006 (Use several sheets if necessary)	EXAMINER Maher M. Huddad Ph.D.	CONF 8906	RMATION NO.	GROUP 1644

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)					
1	C75		Vassalli, JD., et al., "The Plasminogen Activator/Plasmin System," J. Clin. Invest., 88:1067-1072 (1991).			
		C76	Tomita, N., et al., "Direct In Vivo Gene Introduction into Rat Kidney," Bioch. Biophys. Res. Commun., 186(1):129-134 (1992).			
		C77	Jakobovits, A., et al., "Analysis of Homozygous Mutant Chimeric Mice: Deletion of the Immunoglobulin Heavy-Chain Joining Region Blocks B-Cell Development and Antibody Production," Proc. Natl. Acad. Sci. USA, 90:2551-2555 (1993).			
		C78	Jakobovits, A., et al., "Germ-Line Transmission and Expression of Human-Derived Yeast Artificial Chromosome," Nature, 362:255-258 (1993).			
		C79	Ohlin, M., et al., "Human Monoclonal Antibodies Against a Recombinant HIV Envelope Antigen Produced by Primary in vitro Immunization. Characterization and Epitope Mapping," Immunology, 68:325-331 (1989).			
		C80	Sjögren-Jansson, E., et al., "Production in Human Monoclonal Antibodies in Dialysis Tubing," Hybridoma, 10(3):411-419 (1991).			
		C81	Pulkki, K., "Cytokines and Cardiomyocyte Death," Ann. Med., 29:339-343 (1997).			
		C82	Tsutsui, H., et al., "Pathophysiological Roles of Interleukin-18 in Inflammatory Liver Disease," Immunol. Rev., 174:192-209 (2000).			
N			Bianchi, M., et al., "Suppression of Proinflammatory Cytokines in Monocytes by a Tetravalent Guanylhydrazone," J. Of Exp. Med., 183:927-936 (1996).			

EXAMINER /Maher Haddad/	DATE CONSIDERED 09/06/2006
	l l